CERTIFICATE OF ANALYSIS



LGNDS LLC

Customer: 14261 SW 120th St Ste 108

Miami, FL 33186

Batch #: 09202022

Laboratory Number: ATL-9177

Report Issue Date: 09/26/2022


Order Date: 09/20/2022

Analysis Date: 09/26/2022

Sample Description:

D8 Gummy - Mike Bites Black Eye Berry

Unit Weight: 4.000g / Gummy



Extraction Technician: LL Analytical Chemist: LL

Hernan Pristo

0

0

0

0

0

Laboratory Manager

CANNABINOID PROFILE

	Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte
	CBDV-A	<0.06	0	0	THCV-A
	CBDV	<0.03	0	0	CBN
1	CBD-A	<0.03	0	0	D9-THC
	CBG-A	<0.03	0	0	D8-THC
	CBG	<0.02	0	0	9R-D10-TH
	CBD	<0.01	0	0	9S-D10-TH
	THCV	<0.01	0	0	9R-HHC

Analyte	LOQ (mg/g)	Results mg/gummy	%	
THCV-A	<0.06	0	0	
CBN	<0.03	0	0	
D9-THC	<0.03	0	0	
D8-THC	<0.03	26.32	0.66	
9R-D10-TH	C <0.02	0	0	
9S-D10-TH	<0.02	0	0	
9R-HHC		\times	1	

	Analyte	LOQ (mg/g)	Results mg/gummy
	95-ННС	<0.01	0
	СВС	<0.06	0
\	CBC-A	<0.03	0
	THC-A	<0.03	0
	D9-THCP	<0.03	0
	D8-THCO	<0.02	0
			1

	Max Act	ive THC	mg	gummy	%	
1				0	0	V
	Max Act	ive CBD	mg	/gummy	%	
-				ø /	/ 0	

Total Active	mg/gummy	%
Cannabinoids	26.32	0.66
Total	mg/gummy	%
Cannabinoids	26.32	0.66

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(CBCA) Tetrahydrocannabivarinic Acid(THCVA) Cannabicol(CBCA) Delta-9-Tetrahydrocannabinol(CBCA) Cannabicol(CBCA) Cannabicol(CBCA) Delta-9-Tetrahydrocannabinol(CBCA) Delta-

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



